

Pressmasstabelle für MCX25e
Tabelle de sertissage pour MCX25e

Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GB/GC/GE/GF/GH/GX/GS/GSP

Satz Nr.
 Jeu nr.

9/12/14/17/20
 D21/D22/D33
 D34/D35/D37
 D39/310/47

Schlauch
 Tuyau

Dimension



MegaSys -Kompakt Hochdruckschläuche stahlarmiert / Tuyau haute pression compact avec tresse acier

1SC	1/4" - DN6	04M3K /-MTF	225bar-11l/min	04G..	17.55	<->	18.05	D21	1.00	
					04GA..	15.30	<->	15.50	14	1.40
>1SC			04M4K	280bar-11l/min	04G..	17.90	<->	18.40	D21	1.25
					04GA..	16.90	<->	17.10	17	0.00
2SC	1/4" - DN6	04M5K /-MTF	350bar-11l/min	04G..	17.90	<->	18.40	D21	1.25	
						04GA..	16.90	<->	17.10	17
>2SC			04M6K	420bar-11l/min	04G..	18.55	<->	19.05	D21	1.90
					04GE..	16.90	<->	17.10	17	0.00
				04GI..	17.50	<->	17.70	17	0.60	
				04GX..	17.30	<->	17.50	17	0.40	
1SC	5/16" - DN8	05M3K /-MTF	225bar-18l/min	05G..	19.80	<->	20.30	D22	0.15	
						05GA..	18.60	<->	18.80	17
>1SC			05M4K /-MTF	280bar-18l/min	05G..	19.95	<->	20.45	D22	0.25
					05GA..	18.20	<->	18.40	17	1.30
2SC			05M5K /-MTF	350bar-18l/min	05G..	19.95	<->	20.45	D22	0.25
					05GA..	18.60	<->	18.80	17	1.70
				05GX..	17.70	<->	17.90	17	0.80	
>1SC	3/8" - DN10	06M3K /-MTF	225bar-27l/min	06G..	20.30	<->	20.80	D22	0.65	
						06GA..	20.30	<->	20.50	20
R2-AT/C			06M4K	280bar-27l/min	06G..	21.60	<->	22.10	D22	2.15
					06GA..	20.40	<->	20.60	20	0.50
>2SC			06M5K /-MTF	350bar-27l/min	06G..	21.55	<->	22.05	D22	1.80
					06GA..	20.50	<->	20.70	20	0.60
				06GX..	21.70	<->	21.90	20	1.80	
		06IA5600	385bar-27l/min	06G..	21.60	<->	22.10	D22	2.20	
>1SC	1/2" - DN12	08M3K /-MTF	225bar-46l/min	08G..	25.15	<->	25.65	D33	1.00	
						08GA..	24.40	<->	24.60	D33
>2SC			08M4K /-MTF	280bar-46l/min	08G..	25.80	<->	26.30	D33	1.80
					08GA..	24.70	<->	24.90	D33	0.70
					08GX..	24.90	<->	25.10	D33	0.90
>2SC			08M5K /-MTF	350bar-46l/min	08G..	26.15	<->	26.65	D33	2.15
				08GA..	26.00	<->	26.20	D33	2.00	
1SN	5/8" - DN16	10G1	130bar-55l/min	10G..	28.55	<->	29.05	D34	0.50	
						10GA..	27.90	<->	28.10	D33
>1SC			10M3K /-MTF	225bar-70l/min	10G..	29.45	<->	29.95	D34	1.40
					10GA..	29.80	<->	30.00	D34	1.70
>2SC			10M4K /-MTF	280bar-70l/min	10G..	29.10	<->	29.60	D34	1.10
					10GA..	30.10	<->	30.30	D34	2.00
				10GX..	28.60	<->	28.80	D34	0.50	
1SN	3/4" - DN20	12G1	105bar-80l/min	12G..	34.05	<->	34.55	D35	1.40	
						12GA..	35.15	<->	35.65	D35
2SC			12M3K /-MTF	225bar-100l/min	12G..	34.00	<->	34.20	D35	1.60
					12GA..	34.00	<->	34.20	D35	1.60
>2SC		12M4K /-MTF	280bar-100l/min	12G..	35.20	<->	35.70	D35	2.50	
				12GA..	34.10	<->	34.30	D35	1.70	
				12GX..	32.60	<->	32.80	D35	0.20	
1SN	1" - DN25	16G1	88bar-150l/min	16G..	44.45	<->	44.95	D37	2.10	
						16GA..	45.45	<->	45.95	D37
>2SC			16M3K /-MTF	225bar-160l/min	16G..	41.30	<->	41.50	D35	8.90
				16GX..	42.00	<->	42.20	D35	9.60	
1SN	1-1/4" - DN32	20G1	64bar-250l/min	20G..	51.85	<->	52.35	D39	0.30	
						20GA..	49.30	<->	49.50	47
2SN			20G2	125bar-260l/min	20G..	53.75	<->	54.25	D39	2.20
					20GA..	49.70	<->	49.90	47	2.80
1SN	1-1/2" - DN40	24G1	50bar-330l/min	24GSP1F-2	58.15	<->	58.65	310	2.50	
						24GA..	55.60	<->	55.80	D39
2SN	1-1/2" - DN40	24G2	90bar-360l/min	24GSP1F-2	59.80	<->	60.30	310	4.05	
						24GA..	57.20	<->	57.40	310

Pressmasstabelle für MCX25e
Table de sertissage pour MCX25e


Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GB/GC/GE/GF/GH/GX/GS/GSP

Satz Nr.
 Jeu nr.

9/12/14/17/20
 D21/D22/D33
 D34/D35/D37
 D39/310/47

Schlauch
 Tuyau

Dimension



Megaspiral - Hochdruckschläuche / Tuyau haute pression - DIN 4SP/SH - SAE100 R12/13/15

R15	3/8" - DN10	06EFG6K /-MTF	420bar-27l/min	06GS1F	24.65	<->	25.15	D33	0.60
R12	1/2" - DN12	08EFG4K	280bar-46l/min	08GS1F	27.20	<->	27.70	D33	3.05
R13		08EFG5K	350bar-46l/min						
4SP/R15		08EFG6K /-MTF	420bar-46l/min						
R12	5/8" - DN16	10EFG4K	280bar-70l/min	10GS1F	33.30	<->	33.80	D35	0.85
4SP/R13		10EFG5K	350bar-70l/min						
R15		10EFG6K /-MTF	420bar-70l/min						
R12	3/4" - DN20	12EFG4K	280bar-100l/min	12GS1F	37.35	<->	37.85	D35	4.75
4SP/R13		12EFG5K	350bar-100l/min						
4SH/R15		12EFG6K /-MTF	420bar-100l/min						
4SP/R12	1" - DN25	16EFG4K	280bar-180l/min	16GS1F	44.20	<->	44.70	D37	1.55
R13		16EFG5K	350bar-180l/min						
>4SH/R15		16EFG6K /-MTF	420bar-180l/min						
4SP/R12	1-1/4" - DN32	20EFG3K	210bar-290l/min	20GS1F-4	52.05	<->	52.55	D39	0.15
		20EFG4K	280bar-290l/min		51.80	<->	52.30	D39	0.30

Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau

HW	5/16" - DN8	05HW-EF365	250bar-18l/min	05GF..	18.30	<->	18.50	17	1.40
"easyfarm 365+"	3/8" - DN10	06HW-EF365	275bar-27l/min	06GF..	19.90	<->	20.10	20	0.00
	1/2" - DN12	08HW-EF365	180bar-46l/min	08GA..	22.90	<->	23.10	20	3.00

GATES Clean Master - Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau

Wasser eau	1/4" - DN6	04CM4000..	280bar-11l/min	04G..	17.80	<->	18.00	17	0.90
				04GA..	16.20	<->	16.40	14	2.30
	1/4" - DN6	04CM6000..	400bar-11l/min	04G..	18.70	<->	18.90	17	1.80
				04GA..	18.90	<->	19.10	17	2.00
	5/16" - DN8	05CM6000..	420bar-18l/min	05G..	20.40	<->	20.60	20	0.50
				05GA..	18.90	<->	19.10	17	2.00
	3/8" - DN10	06CM6000..	420bar-27l/min	06G..	22.50	<->	22.70	20	2.60
				06GA..	20.90	<->	21.10	20	1.00
	1/2" - DN12	08CM3000..	210bar-46l/min	08G..	25.00	<->	25.20	20	5.10
				08GA..	23.70	<->	23.90	20	3.80

GATES Multi Master Mega Flex Ansaug-, Rücklauf- und Mehrzweckschläuche / Tuyau d'aspiration, retour et usage multiple

R4	5/8" - DN16	IVG 2000-10	18bar-16l/min	10G..	31.80	<->	32.30	D34	3.85
R4H	3/4" - DN20	12MULTIM	24bar-22l/min	12G..	36.90	<->	37.40	D35	4.60
	1" - DN25	16MULTIM	21bar-40l/min	16G..	43.75	<->	44.25	D37	1.40
	1-1/4" - DN32	20MULTIM	17bar-62l/min	20G..	50.75	<->	51.25	47	4.00

Megaflex Kompakt - M2T-MTF-Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier

>2SC(SN)	1/4" - DN6	04M2T /-MTF	420bar-11l/min	04G..	17.90	<->	18.40	D21	1.35
2SC(SN)	5/16" - DN8	05M2T /-MTF	380bar-18l/min	05G..	19.95	<->	20.45	D21	3.40
>2SC(SN)	3/8" - DN10	06M2T /-MTF	350bar-27l/min	06G..	21.60	<->	22.10	D22	2.05
>2SC(SN)	1/2" - DN12	08M2T /-MTF	300bar-46l/min	08G..	26.05	<->	26.55	D33	2.20
>2SC(SN)	5/8" - DN16	10M2T /-MTF	260bar-70l/min	10G..	28.35	<->	28.85	D34	0.40
2SC(SN)	3/4" - DN20	12M2T /-MTF	240bar-100l/min	12G..	34.55	<->	35.05	D35	2.30
>2SC(SN)	1" - DN25	16M2T /-MTF	170bar-160l/min	16G..	43.20	<->	43.70	D37	0.85

Megaflex Kompakt - Zwilling-Hochdruckschläuche 2-lagig stahl / Tuyau haute pression jumelée 2-tresse en acier

>2SC(SN)	3/8" - DN10	06CM2TDL-XTF	330bar-27l/min	06G..	21.70	<->	22.00	D22	2.05
	1/2" - DN12	08CM2TDL-XTF	275bar-46l/min	08G..	26.15	<->	26.45	D33	2.20

Megaflex LIGTH2 - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresses en acier

>2SC(SN)	1/4" - DN6	04MXT /-XTP	420bar-11l/min	04G..	17.90	<->	18.40	D21	1.30
2SC(SN)	5/16" - DN8	05MXT /-XTP	390bar-18l/min	05G..	19.95	<->	20.45	D22	0.90
>2SC(SN)	3/8" - DN10	06MXT /-XTP	340bar-27l/min	06G..	20.95	<->	21.45	D22	2.30
>2SC(SN)	1/2" - DN12	08MXT /-XTP	280bar-46l/min	08G..	24.90	<->	25.40	D33	2.25
>2SC(SN)	5/8" - DN16	10MXT /-XTP	260bar-70l/min	10G..	28.55	<->	29.05	D34	1.70
2SC(SN)	3/4" - DN20	12MXT /-XTP	220bar-100l/min	12G..	34.05	<->	34.55	D35	3.00
>2SC(SN)	1" - DN25	16MXT /-XTP	170bar-160l/min	16G..	43.55	<->	44.05	D37	2.80

Megaflex HiTemp - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute temp. à 2-tresses en acier (- 40°C - +150°C)

2SC-HT	1/4" - DN6	04G2XH	420bar-11l/min	04G..	18.55	<->	19.05	D21	1.00
	3/8" - DN10	06G2XH	350bar-27l/min	06G..	22.35	<->	22.85	D22	0.70
	1/2" - DN12	08G2XH	290bar-46l/min	08G..	26.40	<->	26.90	D33	1.50
	5/8" - DN16	10G2XH	250bar-70l/min	10G..	29.45	<->	29.95	D34	1.15
	3/4" - DN20	12G2XH	215bar-100l/min	12G..	35.2	<->	35.7	D35	2.15

Pressmasstabelle für MCX25e
Tabelle de sertissage pour MCX25e

Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GB/GC/GE/GF/GH/GX/GS/GSP

Satz Nr.
 Jeu nr.

9/12/14/17/20
 D21/D22/D33
 D34/D35/D37
 D39/310/47

Schlauch
 Tuyau

Dimension



Forrer-ECOLine Kompakt - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier

2SC	1/4" - DN6	04F2	400bar-11l/min	04G..	18.90	<->	19.10	D21	2.20
				04GF..	16.10	<->	16.30	14	2.20
2SC	5/16" - DN8	05F2	350bar-18l/min	05G..	21.10	<->	21.30	D22	1.40
				05GF..	18.00	<->	18.20	17	1.10
					18.10	<->	18.30	D21	1.40
2SC	3/8" - DN10	06F2	330bar-27l/min	06G..	22.10	<->	22.30	D22	2.40
				06GF..	20.00	<->	20.20	20	0.10
					20.40	<->	20.60	D22	0.70
2SC	1/2" - DN12	08F2	275bar-46l/min	08G..	26.50	<->	26.70	D33	2.50
				08GF..	23.90	<->	24.10	D33	0.00
2SC	5/8" - DN16	10F2	250bar-70l/min	10G..	29.30	<->	29.50	D33	5.30
				10GF..	27.3	<->	27.50	D33	3.30

GATES Hochflexible Pilot- & Steuerdruckschläuche stahlarmiert / Tuyau pour pression de pilotage et de commande, tresse en acier

pil	3/16" - DN5	P1T03	120bar-5L/min	03GC..	11.30	<->	11.50	9	2.40
				03GK..	11.40	<->	11.60	9	2.50
	1/4" - DN6	P1T04	120bar-11L/min	04GC..	14.00	<->	14.20	14	0.10
				04GK..	13.60	<->	13.80	12	1.70
	5/16" - DN8	P1T05	120bar-18L/min	05GC..	16.50	<->	16.70	14	2.60
	3/8" - DN10	P1T06	120bar-27L/min	06GC..	17.7	<->	17.9	17	0.80

Minimes-Hochdruckschlauch / Tuyau haute pression Minimes

	1/8" - DN2	MS-HD630	630bar-2l/min	IN02	7.2	<->	7.4	6	1.30
--	------------	----------	---------------	------	-----	-----	-----	---	------

Kunststoff-Hochdruckschläuche N => Nylon / Tuyau haute pression en plastique avec 1-tresse Nylon

R7-N	3/16" - DN5	TFR7N03 - 0661	212bar-5l/min	03GC..	10.80	<->	11.00	9	1.90
	1/4" - DN6	TFR7N04 - 0662	200bar-11l/min	04G..	17.25	<->	17.75	D21	0.70
04GC..				13.9	<->	14.1	14	0.00	

Kunststoff-Hochdruckschläuche T =>stahlarmiert einlagig / Tuyau haute pression en plastique avec 1-tresse en acier

R7-T	3/16" - DN5	TFR7T03 - 0871	360bar-5l/min	03GD..	11.80	<->	12.00	9	2.90
				04G..	17.25	<->	17.75	D21	0.70
	1/4" - DN6	TFR7T04 - 0872	310bar-11l/min	04GC..	13.90	<->	14.10	14	0.00
				05G..	19.80	<->	20.30	D22	0.25
	5/16" - DN8	TFR7T05 - 0873	250bar-18l/min	05GB..	16.30	<->	16.50	14	2.40
				05GD..	17.80	<->	18.00	17	0.90
				06G..	20.75	<->	21.25	D22	1.20
	3/8" - DN10	TFR7T06 - 0874	225bar-27l/min	06GD..	18.70	<->	18.90	17	1.80
				08G..	24.60	<->	24.80	D33	0.60
	1/2" - DN12	TFR7T08 - 0875	190bar-46l/min	08GC..	22.30	<->	22.50	20	2.40

Kunststoff-Hochdruckschläuche 10T =>stahlarmiert zweilagig / Tuyau haute pression 2-tresse en acier

R10	1/4" - DN6	TFR10T04 - 0852	400bar-11l/min	04G..	18.35	<->	18.85	D21	1.80
				04GA..	16.30	<->	16.50	14	2.40
	5/16" - DN8	TFR10T05 - 0853	400bar 18l/min	05GE..	18.80	<->	19.00	17	1.90
				06G..	21.50	<->	22.00	D22	1.95
	3/8" - DN10	TFR10T06 - 0854	330bar 27l/min	06GE..	20.20	<->	20.40	20	0.30
				08G..	25.40	<->	25.60	D33	1.40
1/2" - DN12	TFR10T08 - 0855	260bar - 46l/min	08GE..	24.5	<->	24.7	D33	0.50	

Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression

	1/4" - DN6	GP8004	37bar-6l/min	04G..	17.85	<->	18.35	D21	1.30
	5/16" - DN8	GP8005	37bar-11l/min	05G..	20.45	<->	20.95	D22	0.90
	3/8" - DN10	GP8006	37bar-18l/min	06G..	21.85	<->	22.35	D22	2.30
	1/2" - DN12	GP8008	37bar-29l/min	08G..	26.35	<->	26.85	D33	2.25
	5/8" - DN16	GP8010	30bar-48l/min	10G..	29.75	<->	30.25	D34	1.70
	3/4" - DN20	GP8012	30bar-68l/min	12G..	35.85	<->	36.35	D35	3.00
	1" - DN25	GP8016	30bar-125l/min	16G..	45.65	<->	46.15	D37	2.80
	1-1/4" - DN32	GP8020	30bar-190l/min	20G..	53.45	<->	53.95	D39	2.00

Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression (- 40°C - +150°C)

ACR	1/4" - DN6	04Megatech1000	70bar-6l/min	04G..	17.55	<->	18.05	D21	1.00
	3/8" - DN10	06Megatech1000	70bar-18l/min	06G..	20.35	<->	20.85	D22	0.70
	1/2" - DN12	08Megatech1000	70bar-29l/min	08G..	25.65	<->	26.15	D33	1.50
	5/8" - DN16	10Megatech1000	70bar-48l/min	10G..	29.20	<->	29.70	D34	1.15
	3/4" - DN20	12Megatech1000	70bar-68l/min	12G..	34.80	<->	35.30	D35	2.15
	1" - DN25	16Megatech1000	70bar-125l/min	16G..	42.95	<->	43.45	D37	0.15
	1-1/4" - DN32	20Megatech1000	70bar-190l/min	20G..	51.05	<->	51.55	47	4.30
	1-1/2" - DN40	24Megatech500	35bar-280l/min	24GSP1F-2	57.15	<->	57.65	310	1.50

Pressmasstabelle für MCX25e
Tabelle de sertissage pour MCX25e
Pressarmatur Typ:
Raccord à sertir type:
G/GA/GB/GC/GE/GF/GH/GX/GS/GSP
Satz Nr.
Jeu nr.

9/12/14/17/20
D21/D22/D33
D34/D35/D37
D39/310/47

Schlauch
Tuyau

Dimension


ProLine - Hochdruckschläuche 1-lagig stahlarmiert / Tuyau haute pression 1-tresse en acier

1SC	1/4" - DN6	04PRO1T	225bar-11l/min	04EX..	17.05	<->	17.35	17	0.20
	5/16" - DN8	05PRO1T	215bar-18l/min	05EX..	17.80	<->	18.10	17	0.95
	3/8" - DN10	06PRO1T	180bar-27l/min	06EX..	19.65	<->	19.95	17	2.80
	1/2" - DN12	08PRO1T	160bar-46l/min	08EX..	22.90	<->	23.20	20	3.05
	5/8" - DN16	10PRO1T	130bar-60l/min	10EX..	26.15	<->	26.45	D33	2.20
	3/4" - DN20	12PRO1T	105bar-80l/min	12EX..	29.95	<->	30.25	D34	1.90
	1" - DN25	16PRO1T	88bar-140l/min	16EX..	37.65	<->	37.95	D35	5.30

ProLine - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier

2SC	1/4" - DN6	04PRO2T	400bar-11l/min	04EX..	17.55	<->	17.85	17	0.70
				04G..	18.70	<->	19.00	17	1.80
	5/16" - DN8	05PRO2T	350bar-18l/min	05EX..	18.90	<->	19.20	17	2.05
				05G..	20.40	<->	20.70	20	0.50
	3/8" - DN10	06PRO2T	330bar-27l/min	06EX..	20.45	<->	20.75	20	0.60
				06G..	22.20	<->	22.50	20	2.30
	1/2" - DN12	08PRO2T	275bar-46l/min	08EX..	24.00	<->	24.30	20	4.15
				08G..	26.00	<->	26.30	20	6.15
	5/8" - DN16	10PRO2T	250bar-70l/min	10EX..	27.65	<->	27.95	D33	3.70
				10G..	28.90	<->	29.20	D33	4.95
	3/4" - DN20	12PRO2T	215bar-100l/min	12EX..	31.15	<->	31.45	D34	3.10
				12G..	35.00	<->	35.30	D34	6.95
	1" - DN25	16PRO2T	165bar-160l/min	16EX..	38.95	<->	39.25	D35	6.60
				16G..	43.50	<->	43.80	D35	11.15